Journal of the Neurological Sciences, 1989, 91: 358–360
Elsevier

Author Index (Vol. 91)

Argentino, C., see Fieschi, C., 311

Baig, S., see Zachau, A.C., 323
Barbarese, E. and Barry, C.
Radiation sensitivity of glial cells in primary culture, 97
Barry, C., see Barbarese, E., 97
Bishop, S.A. and Hill, T.J.
Herpes simplex virus infection and damage in the central nervous system: immune response to myelin basic protein, 109
Blight, A.R. and Young, W.
Central axons in injured cat spinal cord recover electrophysiological function following remyelination by Schwann cells, 15
Borg, J., see Borg, K., 53
Borg, K., Solders, G., Borg, J., Edström, L. and Kristensson, K.
Neurogenic involvement in distal myopathy (Welander). Histochemical and morphological observations on muscle and nerve biopsies, 53
Bowe, C.M., Hildebrand, C., Kocsis, J.D. and Waxman, S.G.
Morphological and physiological properties of neurons after long-term axonal regeneration: observations on chronic and delayed sequelae of peripheral nerve injury (Review article), 259
Bozzao, L., see Fieschi, C., 311
Brown, W., see Ecob-Prince, M., 71

Calcutt, N.A., see Willars, G.B., 153
Catz, I., see Warren, K.G., 143
Chu, N.-S.
Brainstem auditory evoked potentials: correlation between CT midbrain-pontine lesion sites and abolition of wave V or the IV–V complex, 165
Compton, A.M., see Willars, G.B., 153

De Jong, J.M.B.V., see Sillevis Smitt, P.A.E., 231
De Koning, J., see Reimers, C.D., 215
Drukarch, B., Schepens, E., Heimans, J.J. and Stoof, J.C.
α_2-Adrenocepter-mediated modulation of noradrenaline release is decreased in vas deferens but not in cerebral cortex of diabetic rats, 293
Duray, P.H., see Reimers, C.D., 215

Ecob-Prince, M., Hill, M. and Brown, W.
Immunocytochemical demonstration of myosin heavy chain expression in human muscle, 71
Edström, L., see Borg, K., 53

Fieschi, C., Argentino, C., Lenzi, G.L., Sacchetti, M.L., Toni, D. and Bozzao, L.
Clinical and instrumental evaluation of patients with ischemic stroke within the first six hours, 311
Frith, R.W., see Snow, B.J., 179
Futo, T., Hitaka, T., Mizutani, T., Okuyama, H., Watanabe, K. and Totsuka, T.
Fatty acid composition of lipids in tongue and hindleg muscles of muscular dystrophic mice, 337

Heimans, J.J., see Drukarch, B., 293
Hildebrand, C., see Bowe, C.M., 259
Hill, M., see Ecob-Prince, M., 71
Hill, T.J., see Bishop, S.A., 109
Hitaka, T., see Futo, T., 337
Höjeberg, B., see Zachau, A.C., 323
Hübner, G., see Reimers, C.D., 215

Izumo, S., see Kitajima, I., 35

Jakab, P., see Jolesz, F.A., 85
Jimi, T., see Wakayama, Y., 191
Jolesz, F.A., Kirschner, D.A., Jakab, P. and Lorenzo, A.V.
Proton magnetic resonance in myelin deficient brains of mutant mice, 85
Jones, H.C., see Keep, R.F., 119
Juntunen, J., see Korpela, H., 79

Keen, P., see Willars, G.B., 153

Keep, R.F. and Jones, H.C.
Do brain fluid ion concentrations change in hydrocephalus? A study on potassium and calcium in rats with congenital hydrocephalus, 119
Kinnunen, E., see Korpela, H., 79
Kirschner, D.A., see Jolesz, F.A., 85
Kitajima, I., Kuriyama, M., Usuki, F., Izumo, S., Osame, M., Suganuma, T., Murata, F. and Nagamatsu, K.
Nasu-Hakola disease (membranous lipodystrophy). Clinical, histopathological and biochemical studies of three cases, 35
Kocsis, J.D., see Bowe, C.M., 259
Koeppen, A.H.
The nucleus pontis centralis caudalis in Huntington's disease, 129
Koga, Y., see Yamamoto, M., 207
Korpela, H., Kinnunen, E., Juntunen, J., Kumpulainen, J. and Koskenvuo, M.
Serum selenium concentration, glutathione peroxidase activity and lipid peroxides in a co-twin control study on multiple sclerosis, 79
Koskenvuo, M., see Korpela, H., 79
Kristensson, K., see Borg, K., 53
Kumagai, T., see Wakayama, Y., 191
Kumpulainen, J., see Korpela, H., 79
Kuriyama, M., see Kitajima, I., 35

Lenzi, G.L., see Fieschi, C., 311
Lorenzo, A.V., see Jolesz, F.A., 85
Losavio, A., Muchnik, S., Sica, R.E.P. and Panizza, M.
Changes in tetrodotoxin-resistant action potentials after passive transfer of myasthenia gravis patient sera (Short Communication), 345

Mannen, T., see Ono, S., 301
Miike, T., see Wakayama, Y., 191
Misugi, N., see Wakayama, Y., 191
Miyake, S., see Wakayama, Y., 191
Mizutani, T., see Futo, T., 337
Muchnik, S., see Losavio, A., 345
Murata, F., see Kitajima, I., 35

Naegele, M., see Reimers, C.D., 215
Nagamatsu, K., see Kitajima, I., 35
Neubert, U., see Reimers, C.D., 215
Nonaka, I., see Yamamoto, M., 207

Ohtaki, E., see Yamamoto, M., 207
Okuyama, H., see Futo, T., 337
Olsson, T., see Zachau, A.C., 323
Ono, S., Mannen, T. and Toyokura, Y.
Differential diagnosis between amyotrophic lateral sclerosis and spinal muscular atrophy by skin involvement, 301
Osame, M., see Kitajima, I., 35

Panizza, M., see Losavio, A., 345
Pilz, A., see Reimers, C.D., 215
Pongratz, D.E., see Reimers, C.D., 215

Reimers, C.D., Pongratz, D.E., Neubert, U., Pilz, A., Hübner, G., Naegele, M., Wilske, B., Duray, P.H. and de Koning, J.
Myositis caused by *Borrelia burgdorferi*: report of four cases, 215

Sacchetti, M.L., see Fieschi, C., 311
Schepens, E., see Drukarch, B., 293
Shibuya, S., see Wakayama, Y., 191
Sica, R.E.P., see Losavio, A., 345
Sillevis Smitt, P.A.E. and de Jong, J.M.B.V.
Animal models of amyotrophic lateral sclerosis and the spinal muscular atrophies (Review article), 231
Snow, B.J. and Frith, R.W.
The relationship of eyelid movement to the blink reflex, 179
Solders, G., see Borg, K., 53
Stoof, J.C., see Drukarch, B., 293
Strigård, K., see Zachau, A.C., 323
Suganuma, T., see Kitajima, I., 35

Tomlinson, D.R., see Willars, G.B., 153
Toni, D., see Fieschi, C., 311
Totsuka, T., see Futo, T., 337
Toyokura, Y., see Ono, S., 301

Usuki, F., see Kitajima, I., 35

Wakayama, Y., Jimi, T., Misugi, N., Kumagai, T., Miyake, S., Shibuya, S. and Miike, T.
Dystrophin immunostaining and freeze-fracture studies of muscles of patients with early stage amyotrophic lateral sclerosis and Duchenne muscular dystrophy, 191
Warren, K.G. and Catz, I.
Cerebrospinal fluid autoantibodies to myelin basic protein in multiple sclerosis patients. Detection during first exacerbations and kinetics of acute relapses and subsequent convalescent phases, 143
Watanabe, K., see Futo, T., 337

Waxman, S.G.
Demyelination in spinal cord injury (Review article), 1
Waxman, S.G., see Bowe, C.M., 259
Willars, G.B., Calcutt, N.A., Compton, A.M., Tomlinson, D.R. and Keen, P.
Substance P levels in peripheral nerve, skin, atrial myocardium and gastrointestinal tract of rats with long-term diabetes mellitus. Effects of aldose reductase inhibition, 153
Wilske, B., see Reimers, C.D., 215
Yamamoto, M., Koga, Y., Ohtaki, E. and Nonaka, I.
Focal cytochrome *c* oxidase deficiency in various neuromuscular diseases, 207
Young, W., see Blight, A.R., 15
Zachau, A.C., Strigård, K., Baig, S., Höjeberg, B. and Olsson, T.
Distribution of plasma cells secreting antibodies against nervous tissue antigens during experimental allergic encephalomyelitis enumerated by a nitrocellulose immunospot assay, 323

Journal of the Neurological Sciences, 1989, 91: 361–362
Elsevier

Subject Index (Vol. 91)

Acute stroke, 311
α_2-Adrenoceptor, 293
Aldose reductase, 153
Amyotrophic lateral sclerosis, 191, 231, 301
Angiography, 311
Animal models, 231
Antibody secretion, 323
Anti-myelin basic protein, 143
Antioxidants, 79
Axon, 15, 259

B cell, 323
BAEP, 165
Blink reflex, 179
Blood–brain barrier, 323
Borrelia burgdorferi, 215
Brain CT, 165
Brain interstitial fluid, 119
Brain maturation, 85
Brainstem hemorrhage, 165

Calcium, 119
Cerebral cortex, 293
Cerebral embolism, 311
Cerebrospinal fluid, 119, 143
Chromatolysis, 259
Collagen fibrils, 301
Congenital hydrocephalus, 119
Corneal reflex, 179

Delayed return phenomenon, 301
Dementia, 35
Demyelination, 1, 15, 109
Development, 71, 97
Diabetes mellitus, 293
Diabetic neuropathy, 153
Distal myopathy (Welander), 53
Docosahexaenoic acid (C22:6), 337
Dorsal column, 15
Duchenne muscular dystrophy, 191
Dystrophic mouse, 337
Dystrophin localization, 191

Electrical activity, 345
ELISA, 323
Evoked potential, 165
Eyelid movement, 179

Fasciitis, 215
Fatty acid composition, 337
Focal cytochrome *c* oxidase deficiency, 207
Free radicals, 79
Freeze fracture, 191

Galactocerebroside, 97
Generator, 165
Glabellar tap, 179
Glutathione peroxidase, 79
Glycolipid, 35
Gray–white matter contrast, 85

Heart, 153
Herpes simplex virus, 109
Histiocyte, 35
Human muscle, 71
Huntington's disease, 129

Ileum, 153
Immune response, 109

Lipid peroxidation, 79
Lipid peroxides, 79
Lysosomal enzyme, 35

Mitochondrial myopathy, 207
Morphometry, 129
Motor neuron disease, 231
MR imaging, 85
Multiple sclerosis, 79, 143
Muscle biopsy, 53
Muscle plasma membrane, 191
Muscular dystrophy, 337
Muscular imaging, 215
Mutant mice, 85
Myasthenia gravis, 345
Myelin, 1, 85, 259

Myelin basic protein, 109, 323
Myosin, 71
Myositis, 215

Nasu-Hakola disease (membranous lipodystrophy), 35
Nerve biopsy, 53
Nerve injury, 259
Neuromuscular diseases, 207
Neuronal loss, 129
Neuropathy, 35
NMR, 215
Noradrenaline relase, 293
Nucleus pontis centralis caudalis, 129

Oligodendrocytes, 15, 97
Orthogonal arrays, 191

Paramedian pontine reticular formation, 129
Phospholipid, 337
Potassium, 119

Radiation, 97
Ragged-red fibres, 207
Recanalization, 311
Regeneration, 259
Remodelling, 259
Remyelination, 1, 15
Rimmed vacuoles, 53

Saccades, 129
Schwann cells, 15
Selenium, 79
Skin, 153
Somatosensory evoked potentials, 15
Spastic paraplegia, 35
Spinal cord injury, 1, 15
Spinal muscular atrophies, 231, 301
Stomach, 153
Streptozotocin, 293
Substance P, 153

TCD sonography, 311
Tetrodotoxin-resistant action potentials, 345
Tongue, 337
Twin study, 79

Vas deferens, 293

Water compartmentalization, 85